Author index

Ackermann, C., see Siebert, J.G.H. (66) 157
Andersen, C., see Christrup, L.L. (66) 169
Armstrong, D.J., see Mitchell, K. (66) 233
Ashby, L.J., see De Marais, S.M. (66) 107
Austin, P., see Collier, P.J. (66) 201

Bassam, F., see York, P. (66) 143
Beezer, A.E., see De Marais, S.M. (66) 107
Benita, S., see Levy, M.Y. (66) 29
Binns, J.S., see Davies, M.C. (66) 223
Bolhuis, G.K., see Riepma, K.A. (66) 47
Bolton, R., see De Marais, S.M. (66) 107
Bourgeois, D., see Davies, M.C. (66) 223
Buckton, G.
The role of compensation analysis in the study of wettability, solubility, disintegration and dissolution (66) 175
Bundgaard, H., see Møss, J. (66) 39
Bundgaard, H., see Møss, J. (66) 183
Buur, A., see Møss, J. (66) 183

Christrup, L.L., Davis, S.S., Frier, M., Melia, C.D., Rasmussen, S.N., Washington, N., Wilding, I.R. and Andersen, C.
Deposition of a model substance, ^{99m}Tc E-HIDA, in the oral cavity after administration of lozenges, chewing gum and sublingual tablets (66) 169
Church, S.P., see Davies, M.C. (66) 243
Collier, P.J., Austin, P. and Gilbert, P.
Uptake and distribution of some isothiazolone biocides into *Escherichia coli* ATCC 8739 and *Schizosaccharomyces pombe* NCYC 1354 (66) 201

Davies, M.C., Binns, J.S., Melia, C.D., Hendra, P.J., Bourgeois, D., Church, S.P. and Stephenson, P.J.
FT Raman spectroscopy of drugs in polymers (66) 223
Davis, S.S., see Christrup, L.L. (66) 169
De Boer, A.H., see Riepma, K.A. (66) 47
De Marais, S.M., Beezer, A.E., Ashby, L.J. and Bolton, R.
Biologically based QSARs: study of cardanol derivatives on interaction with *Saccharomyces cerevisiae* (66) 107
De Zeeuw, R.A., see Wiechers, J.W. (66) 53
Drenth, B.F.H., see Wiechers, J.W. (66) 53
Durr, M., see Grove, J. (66) 23

Elliott, P.N.C., see Mitchell, K. (66) 233

Fagerness, P.E., see Snider, B.G. (66) 63
Flynn, G.L., see Hou, S.Y.E. (66) 79
Ford, J.L., see Mitchell, K. (66) 233
Frier, M., see Christrup, L.L. (66) 169

Gilbert, P., see Collier, P.J. (66) 201
Gilligan, C.A., see Li Wan Po, A. (66) 111
Grove, J., Durr, M., Quint, M.-P. and Plazonnet, B.
The effect of vehicle viscosity on the ocular bioavailability of L-653,328 (66) 23

Hayward, D.S. and Jenke, D.R.
Interactions between polymer containers and parenteral solutions: Correlating equilibrium polymer-water interaction constants with solute partition coefficients (66) 87
Hendra, P.J., see Davies, M.C. (66) 223

Hogan, J.E., see Mitchell, K. (66) 233
Hou, S.Y.E. and Flynn, G.L.
Phase volume and partitioning effects on drug delivery from topical emulsions (79)

Irwin, W.J., Sanderson, F.D. and Li Wan Po, A.
Percutaneous absorption of ibuprofen: Vehicle effects on transport through rat skin (66) 193
Irwin, W.J., Sanderson, F.D. and Li Wan Po, A.
Percutaneous absorption of ibuprofen and naproxen: Effect of amide enhancers on transport through rat skin (66) 243

Jenke, D.R., see Hayward, D.S. (66) 87
Jonkman J.H.G., see Wiechers, J.W. (66) 53

Kaluzny, B.D., see Snider, B.G. (66) 63
Kaufman, M.J.
Rate and equilibrium constants for acid-catalyzed lactone hydrolysis of HMG-CoA reductase inhibitors (66) 97
Killion, R.B., Jr and Stella, V.J.
The nucleophilicity of dextrose, sucrose, sorbitol, and mannitol with *p*-nitrophenyl esters in aqueous solution (66) 149
Kussendrager, K.D., see Riepma, K.A. (66) 47

Lerk, C.F., see Riepma, K.A. (66) 47
Levy, M.Y. and Benita, S.
Drug release from submicronized o/w emulsion: a new in vitro kinetic evaluation model (66) 29
Li Wan Po, A., see Irwin, W.J. (66) 193
Li Wan Po, A., see Irwin, W.J. (66) 243
Li Wan Po, A., Wong, L.P. and Gilligan, C.A.
Characterisation of commercially available theophylline sustained- or controlled-release systems: in-vitro drug release profiles (66) 111
Liaw, J., see Rojanasakul, Y. (66) 131
Loftsson, T. and Ólafsdóttir, B.J.
The effect of 2-hydroxypropyl-ß-cyclodextrin on the simultaneous dissolution and degradation of chlorambucil (66) 289
Luyt, A.S., see Siebert, J.G.H. (66) 157

Melia, C.D., see Christrup, L.L. (66) 169
Melia, C.D., see Davies, M.C. (66) 223
Miller, S.C., see Wu, H.-L.S. (66) 213
Mitchell, K., Ford, J.L., Armstrong, D.J., Elliott, P.N.C., Rostron, C. and Hogan, J.E.
The influence of additives on the cloud point, disintegration and dissolution of hydroxymethylcellulose gels and matrix tablets (66) 233

Møss, J. and Bundgaard, H.
Prodrugs of peptides. 7. Transdermal delivery of thyrotropin-releasing hormone (TRH) via prodrugs (66) 39
Møss, J., Buur, A. and Bundgaard, H.
Prodrugs of peptides. 8. In vitro study of intestinal metabolism and penetration of thyrotropin-releasing hormone (TRH) and its prodrugs (66) 183
Mummaneni, V. and Vasavada, R.C.
Solubilization and dissolution of famotidine from solid glass dispersions of xylitol (66) 71

Newton, J.M., see Tan, S.B. (66) 207
Newton, J.M., see Tan, S.B. (66) 273
Newton, J.M., see Tan, S.B. (66) 283

Ólafsdóttir, B.J., see Loftsson, T. (66) 289

Plazonnet, B., see Grove, J. (66) 23

Quint, M.-P., see Grove, J. (66) 23

Rasmussen, S.N., see Christrup, L.L. (66) 169
Riepma, K.A., Lerk, C.F., De Boer, A.H., Bolhuis, G.K. and Kussendrager, K.D.
Consolidation and compaction of powder mixtures. I. Binary mixtures of same particle size fractions of different types of crystalline lactose (66) 47
Roberts, R.J., see York, P. (66) 143
Robins, R.H., see Snider, B.G. (66) 63
Robinson, J.R., see Rojanasakul, Y. (66) 131
Rojanasakul, Y., Liaw, J. and Robinson, J.R.
Mechanisms of action of some peneteration enhancers in the cornea: Laser scanning confocal microscopic and electrophysiology studies (66) 131
Rostron, C., see Mitchell, K. (66) 233
Rowe, R.C., see York, P. (66) 143
Runge, T.A., see Snider, B.G. (66) 63

Sanderson, F.D., see Irwin, W.J. (66) 193
Sanderson, F.D., see Irwin, W.J. (66) 243
Siebert, J.G.H., Luyt, A.S. and Ackermann, C.
The effect of various polymer applications on the physical structure of nude mouse skin (66) 157
Snider, B.G., Runge, T.A., Fagerness, P.E., Robins, R.H. and Kaluzny, B.D.
Identification of degradation products occurring in acidic solutions of a 21-aminosteroid (tiriazad) (66) 63
Soebagyo, S.S. and Stewart, P.J.
Factors influencing the homogeneity and drug redistribution of disintegrant-diazepam-carrier ternary mixtures (66) 263
Stella, V.J., see Killion, R.B., Jr (66) 149
Stella, V.J., see Umprayn, K. (66) 253
Stephenson, P.J., see Davies, M.C. (66) 223
Stewart, P.J., see Soebagyo, S.S. (66) 263

Tan, S.B. and Newton, J.M.
Capsule filling performance of powders with dosator nozzles of different wall texture (66) 207
Tan, S.B. and Newton, J.M.
Influence of compression setting ratio on capsule fill weight and weight variability (66) 273
Tan, S.B. and Newton, J.M.
Observed and expected powder plug densities obtained by a capsule dosator nozzle system (66) 283

Umprayn, K., Waugh, W. and Stella, V.J.
Mechanism of degradation of the investigational cytotoxic agent, cyclodisone (NSC-348948) (66) 253

Vasavada, R.C., see Mummaneni, V. (66) 71

Washington, C.
The stability of intravenous fat emulsions (66) 1
Washington, N., see Christrup, L.L. (66) 169
Waugh, W., see Umprayn, K. (66) 253
Wiechers, J.W., Drenth, B.F.H., Jonkman J.H.G. and De Zeeuw, R.A.
Percutaneous absorption of triamcinolone acetonide from creams with and without Azone® in humans in vivo (66) 53
Wilding, I.R., see Christrup, L.L. (66) 169
Wong, L.P., see Li Wan Po, A. (66) 111
Wu, H.-L.S. and Miller, S.C.
In vitro release of nicotinic acid alkyl esters from poloxamer vehicles (66) 213

York, P., Bassam, F., Rowe, R.C. and Roberts, R.J.
Fracture mechanics of microcrystalline cellulose powders (66) 143